

ENB200/18SHD Vertical Baler

The successor of the well-established 16SHD which operates on many thousands of locations, is now available with a compaction force of 18 t and has an electronically controlled operating comfort: Switching of programming for the compaction of “paper/cardboard” or “foil” and variable bale size

- Microprocessor control without limit switch. Low maintenance design. Well arrange LCD display.
- Automatic start when closing the feed flap – rapid compaction cycle, automatic ram return
- Adjustable compaction time: The material can be kept under pressure
- Easy tying of the bales and hydraulic, complete ejection.
- Two-phase hydraulic unit of the control block guarantees a rapid compaction cycle
- Generously designed hydraulics: High compaction force with low hydraulic pressure and low drive performance



Robust: The twofold guided press ram



Low maintenance: the microprocessor control




Easy to operate: The ejector

Technical Specifications

Motor	kW	4
Voltage	V/Hz	400/50
Compaction Force Max	t	18
Cycle Time	s	22
Compaction Time	s	12
Opening W x H	cm	107 x 62
Height from door	cm	98
Bale size* w x h x d approx.	Cm	110x70x70-80
Bale weight**	kg	120-180
Overall width	cm	152
Overall depth	cm	95
Overall height	cm	197
Gross weight	kg	850

*adjustable bale height **depending upon kind of material

Technical details and colours subject to change without prior notice (1.04)



Special Equipment:

- Connection for dust extraction
- Explosion proof version

